1959 ANNUAL INDEX

Textile Research Journal

Volume XXIX

MONTH	PAGES	MONTH	PAGES
January	1–98	July	525–594
February	99–192	August	595–668
March	193–286	September	669–762
April	287–372	October	763–848
May	373–450	November	849–930
June	451–524	December	931–1020

L = Letter

AUTHOR AND TITLE INDEX

AIDA, Nobuo (Negishi). Cross-Linking of Partially Cyanoethylated Cotton. *Part I:* Carbamoylethylation and Formaldehyde-Curing . . . 982
(Negishi, Itō). *Part II:* Formaldehyde-Curing after Amidoximation . . . 990
ALGIE, J. E. The Effect of Strain on the Electrical Resistance of Keratin . . . 1
AMES, William F. (Lauterbach). Cord Stresses in Inflated Tires . . . 890
ANDREWS, Frederick R. (Grant, Tsoi). Effects of Gin Drying and Cleaning Practices on Properties of Bleached and Resin Treated Fabrics . . . 751
(Nelson, Grant). Effects of Heat-Drying on the Physical and Chemical Properties of Cotton . . . 260
(Orr, Burgis, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part I:* Effects of Swelling Solutions on Fibers and Yarns . . . 349
ANDREWS, M. W. (Medley). The Effect of a Surface Barrier on Uptake Rates of Dye into Wool Fibers . . . 398
ARTHUR, Jett C., Jr. (Demint). The Effects of Gamma Radiation on Cotton. *Part II:* Base Exchange Properties of Irradiated Cotton . . . 276
(Demint, McSherry, Jurgens). Radiation Polymerization of Acrylonitrile onto Cotton—**L** . . . 759
ASHWORTH, J. (Whewell, Srinivassan, Vassiliadis). The Action of Copper Ammines on Wool . . . 386

BAER, B. N. (Schlatter, Olney). Concerning the Mechanism of Fiber and Yarn Lubrication . . . 200
BANBAJI, Joseph (Lewin, Shiloh). The Crimp of Alkali Treated Jute Fibers . . . 373
BARNES, J. C. (Elting, Byatt). Interpretation of Results from Small Lot Spinning Tests—**L** . . . 844
BARTULOVICH, John J. (Tomimatsu, Ward). Acrylonitrile-Stabilized Wool Keratin Derivatives—**L** . . . 593
BAYLEY, C. H. (Rose, Howdon). Observations on the Use of Copper Formate as a Rotproofer for Cotton Fabric . . . 996
BERARD, W. Norbert (Gautreaux, Reeves). Formic Acid Colloid of Methylolmelamine as a Weather and Rot Resistant Finish for Cotton . . . 126
BERKLEY, Earl E. (Reddick, Mayne). Improved Instrument to Measure the Moisture Content of Lint Cotton, Seed Cotton, and Cottonseed . . . 219
BERRY, W. Rhett. A New and Improved Replica Technique for the Study of Fabrics and Other Surfaces . . . 912
BINKLEY, Charles H. (Jones). Isolation and Identification of Urocanic Acid Found in Extracts of Raw Wool . . . 574
BOGDAN, J. F. (Woo, Pan). The Control of Comber Noils . . . 741
BRIAR, H. P. (Lefferdink). Interpretation of Fiber Properties. *Part I:* The Role of Single Fiber Flex Fatigue in Abrasion Resistance of Fabrics . . . 477
BROWN, John J. (Howell, Ruppenicker). Effects of Roller Ginning and Saw Ginning on Pima S–1 Cotton . . . 444
(Ruppenicker). Properties of Fabrics Produced from Three Extra Long Staple Cottons . . . 567
BROWN, R. S. (Miller). Design of the SRRL Granular Card . . . 733
BRUNNSCHWEILER, D. (Mohammadain). A Simple Ballooning Yarn Apparatus . . . 119
BRYANT, G. M. (Walter). Stiffness and Resiliency of Wet and Dry Fibers as a Function of Temperature . . . 211
BUCKLES, Lawrence C. (Minor, Schwartz, Wulkow). The Migration of Liquids in Textile Assemblies. *Part II:* The Wicking of Liquids in Yarns . . . 931
(Minor, Schwartz Wulkow,). *Part III:* The Behavior of Liquids on Single Textile Fibers . . . 940
BURGIS, Albert W. (Orr, Andrews, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part I:* Effects of Swelling Solutions on Fibers and Yarns . . . 349
(Orr, Creely, Mares, Grant). *Part II:* Effects of Strains during Swelling, Washing, and Drying . . . 355
(Orr, DeLuca, Grant). Fiber Structure and Mechanical Properties of Untreated and Modified Cottons . . . 144
BURGMANN, V. D. Some Effects of Sheep Nutrition on the Mechanical Constants of Wool . . . 901
BURLEY, Samuel T., Jr. A Method for Determining the Effects of Various Gin Treatments on the Spinnability of Cotton . . . 696
BYATT, W. J. (Barnes, Elting). Interpretation of Results from Small Lot Spinning Tests—**L** . . . 844

CALLAWAY, G. P. Preliminary Mill Evaluation of the Southern Regional Research Laboratories Flatless Card . . . 737
CATES, David M. (Saffer, Rutherford). The Effect of Certain Variables in Warp Sizing on Weavability . . . 849
CHANCE, Leon H. (Perkerson, McMillan). Phenolic-Formaldehyde Resins as Finishing Agents for Cotton Fabrics . . . 558
CHARCH, W. H. (Moseley). Structure–Property Relationships in Synthetic Fibers. *Part I:* Structure as Revealed by Sonic Observations . . . 525
(Shivers). *Part II:* Elastomeric Condensation Block Copolymers . . . 536
CHATTERJEE, H. (Mazumdar). A Note on the Degradation of Jute Cellulose on Storage—**L** . . . 282
CHITALE, A. G. (Gokhale). Effect of Twist in Mercerization of Single Yarn—**L** . . . 191
CHOUDHURY, Dilip Kumar Roy. Accessibility of Various Cellulose Preparations from Jute . . . 394
CONRAD, Carl M. Mechanical Behavior of Cyanoethylated Cotton Textiles . . . 287
(Segal, Creely, Martin). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer . . . 786
COOKE, T. F. (Roth). Performance Characteristics of a New Triazine-Formaldehyde Based Cross-Linking Agent for Cellulosic Fabrics . . . 180
COPLAN, Myron J. (Golub). Some Observations on Distortions at a Wrinkle . . . 500
(Klein). A Study of Blended Woolen Structures. *Part V:* Methods of Within-Section Blend Analysis . . . 632
CREELY, Joseph J. (Orr, Burgis, Mares, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part II:* Effects of Strains during Swelling, Washing, and Drying . . . 355
(Segal, Martin, Conrad). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer . . . 786
CREWTHER, W. G. (Dowling). A Kinetic Study of the Supercontraction of Wool Fibers in Solutions of Salts, Acids, and Alkalies . . . 541
(Pressley). Carbonizing Investigations. *Part VI:* A Comparison of Different Types of Surface Active Agents in Laboratory Carbonizing . . . 482
CRONIN, T. J. (Irvine, Davids). Recent Developments in Cotton Finishing with Acetal Reactants . . . 74
CRUZ, Manuel D. (Hamalainen, Wade). Use of Trifluoroacetic Anhydride in Partial Acetylation of Cotton Cellulose . . . 821

DARUWALLA, E. H. (Mehra). Studies in the Adsorption of Arylamides of 2-Hydroxy-3-Naphthoic Acid and Related Compounds by Cellulosic Fibers . . . 595
DARUWALLA, F. S. (Wood, Goy). Thermal Effects in Tire Cord Materials . . . 669

1959 ANNUAL INDEX

Textile Research Journal

Volume XXIX

MONTH	PAGES	MONTH	PAGES
January	1–98	July	525–594
February	99–192	August	595–668
March	193–286	September	669–762
April	287–372	October	763–848
May	373–450	November	849–930
June	451–524	December	931–1020

L = Letter

AUTHOR AND TITLE INDEX

AIDA, Nobuo (Negishi). Cross-Linking of Partially Cyanoethylated Cotton. *Part I:* Carbamoylethylation and Formaldehyde-Curing . . . 982
(Negishi, Itō). *Part II:* Formaldehyde-Curing after Amidoximation . . . 990
ALGIE, J. E. The Effect of Strain on the Electrical Resistance of Keratin . . . 1
AMES, William F. (Lauterbach). Cord Stresses in Inflated Tires . . . 890
ANDREWS, Frederick R. (Grant, Tsoi). Effects of Gin Drying and Cleaning Practices on Properties of Bleached and Resin Treated Fabrics . . . 751
(Nelson, Grant). Effects of Heat-Drying on the Physical and Chemical Properties of Cotton . . . 260
(Orr, Burgis, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part I:* Effects of Swelling Solutions on Fibers and Yarns . . . 349
ANDREWS, M. W. (Medley). The Effect of a Surface Barrier on Uptake Rates of Dye into Wool Fibers . . . 398
ARTHUR, Jett C., Jr. (Demint). The Effects of Gamma Radiation on Cotton. *Part II:* Base Exchange Properties of Irradiated Cotton . . . 276
(Demint, McSherry, Jurgens). Radiation Polymerization of Acrylonitrile onto Cotton—**L** . . . 759
ASHWORTH, J. (Whewell, Srinivassan, Vassiliadis). The Action of Copper Ammines on Wool . . . 386

BAER, B. N. (Schlatter, Olney). Concerning the Mechanism of Fiber and Yarn Lubrication . . . 200
BANBAJI, Joseph (Lewin, Shiloh). The Crimp of Alkali Treated Jute Fibers . . . 373
BARNES, J. C. (Elting, Byatt). Interpretation of Results from Small Lot Spinning Tests—**L** . . . 844
BARTULOVICH, John J. (Tomimatsu, Ward). Acrylonitrile-Stabilized Wool Keratin Derivatives—**L** . . . 593
BAYLEY, C. H. (Rose, Howdon). Observations on the Use of Copper Formate as a Rotproofer for Cotton Fabric . . . 996
BERARD, W. Norbert (Gautreaux, Reeves). Formic Acid Colloid of Methylolmelamine as a Weather and Rot Resistant Finish for Cotton . . . 126
BERKLEY, Earl E. (Reddick, Mayne). Improved Instrument to Measure the Moisture Content of Lint Cotton, Seed Cotton, and Cottonseed . . . 219
BERRY, W. Rhett. A New and Improved Replica Technique for the Study of Fabrics and Other Surfaces . . . 912
BINKLEY, Charles H. (Jones). Isolation and Identification of Urocanic Acid Found in Extracts of Raw Wool . . . 574
BOGDAN, J. F. (Woo, Pan). The Control of Comber Noils . . . 741
BRIAR, H. P. (Lefferdink). Interpretation of Fiber Properties. *Part I:* The Role of Single Fiber Flex Fatigue in Abrasion Resistance of Fabrics . . . 477
BROWN, John J. (Howell, Ruppenicker). Effects of Roller Ginning and Saw Ginning on Pima S–1 Cotton . . . 444
(Ruppenicker). Properties of Fabrics Produced from Three Extra Long Staple Cottons . . . 567
BROWN, R. S. (Miller). Design of the SRRL Granular Card . . . 733
BRUNNSCHWEILER, D. (Mohammadain). A Simple Ballooning Yarn Apparatus . . . 119
BRYANT, G. M. (Walter). Stiffness and Resiliency of Wet and Dry Fibers as a Function of Temperature . . . 211
BUCKLES, Lawrence C. (Minor, Schwartz, Wulkow). The Migration of Liquids in Textile Assemblies. *Part II:* The Wicking of Liquids in Yarns . . . 931
(Minor, Schwartz Wulkow,). *Part III:* The Behavior of Liquids on Single Textile Fibers . . . 940
BURGIS, Albert W. (Orr, Andrews, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part I:* Effects of Swelling Solutions on Fibers and Yarns . . . 349
(Orr, Creely, Mares, Grant). *Part II:* Effects of Strains during Swelling, Washing, and Drying . . . 355
(Orr, DeLuca, Grant). Fiber Structure and Mechanical Properties of Untreated and Modified Cottons . . . 144
BURGMANN, V. D. Some Effects of Sheep Nutrition on the Mechanical Constants of Wool . . . 901
BURLEY, Samuel T., Jr. A Method for Determining the Effects of Various Gin Treatments on the Spinnability of Cotton . . . 696
BYATT, W. J. (Barnes, Elting). Interpretation of Results from Small Lot Spinning Tests—**L** . . . 844

CALLAWAY, G. P. Preliminary Mill Evaluation of the Southern Regional Research Laboratories Flatless Card . . . 737
CATES, David M. (Saffer, Rutherford). The Effect of Certain Variables in Warp Sizing on Weavability . . . 849
CHANCE, Leon H. (Perkerson, McMillan). Phenolic-Formaldehyde Resins as Finishing Agents for Cotton Fabrics . . . 558
CHARCH, W. H. (Moseley). Structure–Property Relationships in Synthetic Fibers. *Part I:* Structure as Revealed by Sonic Observations . . . 525
(Shivers). *Part II:* Elastomeric Condensation Block Copolymers . . . 536
CHATTERJEE, H. (Mazumdar). A Note on the Degradation of Jute Cellulose on Storage—**L** . . . 282
CHITALE, A. G. (Gokhale). Effect of Twist in Mercerization of Single Yarn—**L** . . . 191
CHOUDHURY, Dilip Kumar Roy. Accessibility of Various Cellulose Preparations from Jute . . . 394
CONRAD, Carl M. Mechanical Behavior of Cyanoethylated Cotton Textiles . . . 287
(Segal, Creely, Martin). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer . . . 786
COOKE, T. F. (Roth). Performance Characteristics of a New Triazine-Formaldehyde Based Cross-Linking Agent for Cellulosic Fabrics . . . 180
COPLAN, Myron J. (Golub). Some Observations on Distortions at a Wrinkle . . . 500
(Klein). A Study of Blended Woolen Structures. *Part V:* Methods of Within-Section Blend Analysis . . . 632
CREELY, Joseph J. (Orr, Burgis, Mares, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part II:* Effects of Strains during Swelling, Washing, and Drying . . . 355
(Segal, Martin, Conrad). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer . . . 786
CREWTHER, W. G. (Dowling). A Kinetic Study of the Supercontraction of Wool Fibers in Solutions of Salts, Acids, and Alkalies . . . 541
(Pressley). Carbonizing Investigations. *Part VI:* A Comparison of Different Types of Surface Active Agents in Laboratory Carbonizing . . . 482
CRONIN, T. J. (Irvine, Davids). Recent Developments in Cotton Finishing with Acetal Reactants . . . 74
CRUZ, Manuel D. (Hamalainen, Wade). Use of Trifluoroacetic Anhydride in Partial Acetylation of Cotton Cellulose . . . 821

DARUWALLA, E. H. (Mehra). Studies in the Adsorption of Arylamides of 2-Hydroxy-3-Naphthoic Acid and Related Compounds by Cellulosic Fibers . . . 595
DARUWALLA, F. S. (Wood, Goy). Thermal Effects in Tire Cord Materials . . . 669

DAVIDS, J. H. (Irvine, Cronin). Recent Developments in Cotton Finishing with Acetal Reactants . . . 74
DELUCA, Lloyd B. (Orr, Burgis, Grant). Fiber Structure and Mechanical Properties of Untreated and Modified Cottons . 144
DEMINT, Robert J. (Arthur). The Effects of Gamma Radiation on Cotton. *Part II:* Base Exchange Properties of Irradiated Cotton . . . 276
(Arthur, McSherry, Jurgens). Radiation Polymerization of Acrylonitrile onto Cotton—L . . . 759
DIAMOND, W. J. (Wood, Rutkowski, Grove). Influence of $Na_6P_6O_{18}$–$CaCl_2$–H_2O Equilibrium on Redeposition and Rinsability of Cotton Fabric . . . 863
DOBOZY, O. K. The Shape and Cause of Wool Crimp—L . . . 836
DOWLEN, Rowena P. (Ward). Characteristics and Rate of Wear of Worsted Serge in Trousers . . . 514
DOWLING, L. M. (Crewther). A Kinetic Study of the Supercontraction of Wool Fibers in Solutions of Salts, Acids, and Alkalies . . . 541
DOWNES, J. G. (McMahon). The Drying of a Mass of Hygroscopic Fibers by Forced Convection of Air: A Note on Some Physical Aspects . . . 1006
DRAKE, George L., Jr. (Guthrie). Imparting Crease Resistance and Crease Retention to Cotton with APO . . . 155
(Hobart, Guthrie). The Preparation and Properties of Partially Phosphonomethylated Cotton . . . 884
(Reeves, Guthrie). Phosphonomethylation of Cotton . . . 270
duBOIS, W. F. Frictional Measurements on Fibrous Materials . . . 451
DUPRÉ, Elsie F. (O'Connor, Mitcham). Reply to Norwick Letter—L . . . 365
DUPRÉ, Mason, Jr. Permanent Set in Cotton and the Physical Mechanism of Wrinkle Resistant Treatments . . . 151

EGGERTON, F. V. (Ziifle, Segal). Comparison of the Mechanical Properties of Cotton Yarns and Fabrics Treated with Anhydrous Ethylamine and with Mercerizing Caustic . . . 13
ELTING, J. P. (Barnes, Byatt). Interpretation of Results from Small Lot Spinning Tests—L . . . 844
ERLICH, Victor L. Polyolefin Fibers and Polymer Structure . . . 679
ESTEVE, Ramon M., Jr. (Pal). A Study of the Relationship between Dye Absorption and Cotton Fiber Properties at Equilibrium . . . 811
(Wright, Mack). An Investigation of Inorganic Salts and Oxides as Finishes for Cotton—L . . . 760
EWALD, P. R. (Landstreet, Kerr). A Miniature Spinning Test for Cotton . . . 699

FAHNESTOCK, M. K. (Werden, Galbraith). Thermal Comfort of Clothing of Varying Fiber Content . . . 640
FENNER, Terrence W. (Reinhardt, Reid, Mayne). Partially Carboxymethylated Cotton as an Intermediate for Further Chemical Modification . . . 802
FEUGHELMAN, M. A Two-Phase Structure for Keratin Fibers . . . 223
The Change in Stress on Wetting and Drying Wool Fibers . . . 967
(Haly, Mitchell). Some Mechanical Properties of Single Wool Fibers in D_2O . . . 564
(Haly, Rigby). A Second Order Transition Temperature in Wool Fibers in the Post-Yield Region . . . 311
(Mitchell). Stress-Relaxation and Permanent Set in Keratin Fibers . . . 404
FINK, R. H. Bleaching of Cottons in Home Laundering . . . 165
FIORI, Louis A. (Louis, Sands). Blending Cottons Differing Widely in Maturity. *Part I:* Effect on Properties of Single Yarns . . . 706
(Tallant, Legendre). The Effect of the Short Fibers in a Cotton on its Processing Efficiency and Product Quality. *Part I:* Affecting the Short Fiber Content by the Addition of Cut Cotton Fibers . . . 687
FRETWELL, Sam (Goldthwait, Kirby, Wiehart). Study of Improvement of Smoothness of Cotton Fabrics . . . 134
FRICK, J. G., Jr. (Kottes, Reid). Chemical and Physical Effects of Finishing Cotton With Methylol Derivatives of Ethyleneurea . . . 314
FRY, J. Margaret (Tweedie, Mitton). A Study of the Relationship between Breaking Time and Breaking Load for Fabrics Tested on CRE and CRT Machines . . . 235

GAGLIARDI, D. D. (Shippee). Epoxy Resin Blended Finishes for White Cottons . . . 54
GALBRAITH, Ruth L. (Werden, Fahnestock). Thermal Comfort of Clothing of Varying Fiber Content . . . 640
GAUTREAUX, Gloria A. (Berard, Reeves). Formic Acid Colloid of Methylolmelamine as a Weather and Rot Resistant Finish for Cotton . . . 126
GINTIS, Daniel (Mead). The Mechanism of Pilling . . . 578
Correction . . . 750
GOKHALE, S. V. (Chitale). Effect of Twist in Mercerization of Single Yarn—L . . . 191
GOLDBLITH, S. A. (Pan, Proctor, Morgan, Naar). The Influence of High Energy Radiation on Cotton. *Part I:* The Properties of Raw Cotton Sliver Lap, Yarn, and Fabric Irradiated under Various Conditions . . . 415
Part II: Effects on Chemical Modification . . . 422
(Pan, Proctor). *Part III:* 2-Thiobarbituric Acid Test for Degradation . . . 425
GOLDSTEIN, Herman B. (Koenig). Effect of Creaseproofing Agents on Lightfastness of Sensitive Dyes . . . 66
GOLDTHWAIT, Charles (Kirby, Fretwell, Wiehart). Study of Improvement of Smoothness of Cotton Fabrics . . . 134
GOLUB, Samuel J. (Coplan). Some Observations on Distortions at a Wrinkle . . . 500

GOY, R. S. (Wood, Daruwalla). Thermal Effects in Tire Cord Materials . . . 669
GRANT, James N. (Andrews, Tsoi). Effects of Gin Drying and Cleaning Practices on Properties of Bleached and Resin Treated Fabrics . . . 751
(Nelson, Andrews). Effects of Heat-Drying on the Physical and Chemical Properties of Cotton . . . 260
(Orr, Burgis, Andrews). Physical Properties of Mercerized and Decrystallized Cottons. *Part I:* Effects of Swelling Solutions on Fibers and Yarns . . . 349
(Orr, Burgis, Creely, Mares). Physical Properties of Mercerized and Decrystallized Cottons. *Part II:* Effects of Strains during Swelling, Washing, and Drying . . . 355
(Orr, DeLuca, Burgis). Fiber Structure and Mechanical Properties of Untreated and Modified Cottons . . . 144
GROVE, J. E. (Diamond, Wood, Rutkowski). Influence of $Na_6P_6O_{18}$–$CaCl_2$–H_2O Equilibrium on Redeposition and Rinsability of Cotton Fabric . . . 863
GUARNACCIO, Julia (Stein). Infrared Study of Oxidized Keratin . . . 492
GUTHRIE, John D. Imparting Wet Crease Resistance to Cotton Fabrics by Cross-Linking with Aqueous Formaldehyde—L . . . 834
(Drake). Imparting Crease Resistance and Crease Retention to Cotton with APO . . . 155
(Drake, Reeves). Phosphonomethylation of Cotton . . . 270
(Hobart, Drake). The Preparation and Properties of Partially Phosphonomethylated Cotton . . . 884

HALY, A. R. (Feughelman, Mitchell). Some Mechanical Properties of Single Wool Fibers in D_2O . . . 564
(Feughelman, Rigby). A Second Order Transition Temperature in Wool Fibers in the Post-Yield Region . . . 311
HAMALAINEN, Carl (Wade, Cruz). Use of Trifluoroacetic Anhydride in Partial Acetylation of Cotton Cellulose . . . 821
HAMBURGER, Walter J. (Platt, Klein). Space Density of Fibers in Idealized Singles Yarn—L . . . 592
(Platt, Klein). Mechanics of Elastic Performance of Textile Materials. *Part XIV:* Some Aspects of Bending Rigidity of Singles Yarns . . . 611
HARRIS, Jay C. Suspending Action by Detergents in the Presence of Substrate . . . 99
HAYASHI, Yoshiki (Onogi). A Rheological Interpretation of the Hottenroth Index Method for Viscose . . . 873
HEIGES, E. O. J. (Nuessle, Olney). Amine Odor in Resin-Treated Fabrics . . . 41
HEIT, Calvin (Moncrieff-Yeates, Palm, Stevens, White, Jr.). The Absorption of Dyes by Cellulose Acetate from Nonaqueous Media . . . 6
HEMBREE, Joel F. Large Scale Commerical Blending . . . 717
HENSLEY, J. W. (Inks). Adsorption of Labeled Sodium Carboxymethyl Cellulose by Textile Fibers . . . 505
HESSLER, Lyle E. A Measure of Cotton Fiber Development . . . 858
(Workman). Heat Induced Chemical Changes in Cotton Fiber . . . 487
HEYN, A. N. J. Electron Microscope Observations on Helical Structure in Starch—L . . . 366
HIRAMATU, T. (Uno, Saito, Shiomi). Photoelectric Twist Irregularity Tester . . . 550
HOBART, Stanley R. (Drake, Guthrie). The Preparation and Properties of Partially Phosphonomethylated Cotton . . . 884
HOFFMAN, R. M. (Wilkinson). The Effects of Wear and Laundering on the Wrinkling of Fabrics . . . 632
HOLDAWAY, H. W. (Laws). A Technique for Examining the Configuration of Fibers in Pleated Fabrics . . . 495
HONOLD, E. (Skau). Moisture Regain of Tightly Woven Cotton Fabrics . . . 96
HOWDON, Jane B. (Rose, Bayley). Observations on the Use of Copper Formate as a Rotproofer for Cotton Fabric . . . 996
HOWE, David E. (Mattison). Massive Cotton Blending for Mill Production . . . 722
HOWELL, Nathaniel A. (Brown, Ruppenicker). Effects of Roller Ginning and Saw Ginning on Pima S–1 Cotton . . . 444

INKS, C. G. (Hensley). Adsorption of Labeled Sodium Carboxymethyl Cellulose by Textile Fibers . . . 505
IRVINE, J. B. (Cronin, Davids). Recent Developments in Cotton Finishing with Acetal Reactants . . . 74
ITŌ, Heihachiro (Negishi, Aida). Cross-Linking of Partially Cyanoethylated Cotton. *Part II:* Formaldehyde-Curing after Amidoximation . . . 990
IYER, B. V. (Radhakrishnan, Viswanathan, Wakeham). The Relation between Crystallite Orientation and Tensile Properties of Mercerized Cotton . . . 322

JAMES, J. F. P. (Watt, Kennett). The Dry Weight of Wool . . . 975
JOLLIFF, E. Corwith. A Useful Stain for Inclusion and Surface Damage Detection in Viscose Rayon Filaments—L . . . 279
JONES, Francis T. (Binkley). Isolation and Identification of Urocanic Acid Found in Extracts of Raw Wool . . . 574
JURGENS, Julian F. (Arthur, Demint, McSherry). Radiation Polymerization of Acrylonitrile onto Cotton—L . . . 759

KATO, Koichi. The Silver Staining Method for Cross Sections of Regenerated Cellulose Fibers . . . 407
Procion Dye Staining for Differentiation of Skin and Core of Viscose Rayon Fibers . . . 661
(Yamada). Effect of NaOH on BX Rayon Yarn—L . . . 368
KENNETT, R. H. (Watt, James). The Dry Weight of Wool . . . 975
KERR, T. (Landstreet, Ewald). A Miniature Spinning Test for Cotton . . . 699
KINGSBERY, E. C. (Roddy). Method Used for Determining Warp Crimp—L . . . 521

KIRBY, Rosa D. (Goldthwait, Fretwell, Wiehart). Study of Improvement of Smoothness of Cotton Fabrics 134
KLEIN, Elias (McKelvey, Webre). Reaction of Epoxides with Cotton Cellulose in the Presence of Sodium Hydroxide . . . 918
KLEIN, William G. Stress–Strain Response of Fabrics under Two-Dimensional Loading. *Part I:* The FRL Biaxial Tester . . . 816
(Coplan). A Study of Blended Woolen Structures. *Part V:* Methods of Within-Section Blend Analysis 632
(Platt, Hamburger). Space Density of Fibers in Idealized Singles Yarn—L 592
(Platt, Hamburger). Mechanics of Elastic Performance of Textile Materials. *Part XIV:* Some Aspects of Bending Rigidity of Singles Yarns 611
KOENIG, David N. (Goldstein). Effect of Creaseproofing Agents on Lightfastness of Sensitive Dyes 66
KOTTES, Bethlehem A. (Frick, Reid). Chemical and Physical Effects of Finishing Cotton With Methylol Derivatives of Ethyleneurea 314

LANDSTREET, C. B. (Ewald, Kerr). A Miniature Spinning Test for Cotton 699
LAUTERBACH, Herbert G. (Ames). Cord Stresses in Inflated Tires 890
LAWS, Valerie (Holdaway). A Technique for Examining the Configuration of Fibers in Pleated Fabrics 495
LEFFERDINK, T. B. (Briar). Interpretation of Fiber Properties. *Part I:* The Role of Single Fiber Flex Fatigue in Abrasion Resistance of Fabrics 477
LEGENDRE, Dorothy C. (Taliant, Fiori). The Effect of the Short Fibers in a Cotton on its Processing Efficiency and Product Quality. *Part I:* Affecting the Short Fiber Content by the Addition of Cut Cotton Fibers 687
LENNOX, F. G. Spectrophotometric Measurement of Color in Wool Fabrics 906
LEWIN, Menachem (Shiloh, Banbaji). The Crimp of Alkali Treated Jute Fibers 373
LOUIS, Gain L. (Fiori, Sands). Blending Cottons Differing Widely in Maturity. *Part I:* Effect on Properties of Single Yarns 706
[illegible], G. V. (Waters). The Stability to Laundering of Fabrics Made from Cellulosic Fibers 950

McKELVEY, John B. (Webre, Klein). Reaction of Epoxides with Cotton Cellulose in the Presence of Sodium Hydroxide 918
McMAHON, G. B. (Downes). The Drying of a Mass of Hygroscopic Fibers by Forced Convection of Air: A Note on Some Physical Aspects 1006
McMILLAN, Oscar J., Jr. (Chance, Perkerson). Phenolic-Formaldehyde Resins as Finishing Agents for Cotton Fabrics . 558
McPHEE, J. R. The Reaction of Wool with Sodium Hydroxide in Concentrated Salt Solutions 303
McSHERRY, Wilbur F. (Arthur, Demint, Jurgens). Radiation Polymerization of Acrylonitrile onto Cotton—L 759
MACK, Pauline Beery (Esteve, Wright). An Investigation of Inorganic Salts and Oxides as Finishes for Cotton—L . . . 760
MAKINSON, K. Rachel. Studies of the Movement of Wool Fibers in Fabrics During Felting, with Particular Reference to the Permanency of Pleats. *Part I:* Light Felting and Its Effect on Pleats in a Worsted Fabric 431
Part II: Heavier Felting in a Worsted Fabric 439
MARES, Trinidad (Orr, Burgis, Creely, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part II:* Effects of Strains during Swelling, Washing, and Drying . 355
MARTIN, A. E., Jr. (Segal, Creely, Conrad). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer 786
MATTISON, Joe F. (Howe). Massive Cotton Blending for Mill Production 722
MAYNE, Ruth Y. (Reinhardt, Reid, Fenner). Partially Carboxymethylated Cotton as an Intermediate for Further Chemical Modification 802
MAYNE, S. C. (Reddick, Berkley). Improved Instrument to Measure the Moisture Content of Lint Cotton, Seed Cotton, and Cottonseed 219
MAZUMDAR, A. K. (Chatterjee). A Note on the Degradation of Jute Cellulose on Storage—L 282
MEAD, Edward J. (Gintis). The Mechanism of Pilling . . . 578
Correction 750
MEDLEY, J. A. (Andrews). The Effect of a Surface Barrier on Uptake Rates of Dye into Wool Fibers 398
MEHRA, R. H. (Daruwalla). Studies in the Adsorption of Arylamides of 2-Hydroxy-3-Naphthoic Acid and Related Compounds by Cellulosic Fibers 595
MILLER, A. L. (Brown). Design of the SRRL Granular Card . . 733
MINOR, Francis W. (Schwartz, Wulkow, Buckles). The Migration of Liquids in Textile Assemblies. *Part II:* The Wicking of Liquids in Yarns 931
Part III: The Behavior of Liquids on Single Textile Fibers . 940
MITCHAM, Donald (O'Connor, Dupré). Reply to Norwick Letter—L 365
MITCHELL, T. W. (Feughelman). Stress-Relaxation and Permanent Set in Keratin Fibers 404
(Feughelman, Haly). Some Mechanical Properties of Single Wool Fibers in D_2O 564
MITTON, Margaret T. (Tweedie). The Relationship between Breaking Time and Breaking Load for a Worsted Fabric Tested on CRE and CRT Machines—L 589
(Tweedie, Fry). A Study of the Relationship between Breaking Time and Breaking Load for Fabrics Tested on CRE and CRT Machines 235
MOHAMMADAIN, I. S. (Brunnschweiler). A Simple Ballooning Yarn Apparatus 119

MONCRIEFF-YEATES, Mary (Helt, Palm, Stevens, White, Jr.). The Absorption of Dyes by Cellulose Acetate from Nonaqueous Media 6
MORGAN, H. M. (Pan, Proctor, Goldblith, Naar). The Influence of High Energy Radiation on Cotton. *Part I:* The Properties of Raw Cotton Sliver Lap, Yarn, and Fabric Irradiated under Various Conditions 415
Part II: Effects on Chemical Modification 422
MORRIS, M. A. (Wilsey). The Effect of Soil on the Photochemical Degradation of Cotton 971
MOSELEY, W. W., Jr. (Charch). Structure–Property Relationships in Synthetic Fibers. *Part I:* Structure as Revealed by Sonic Observations 525
MOSHER, Hugh H. Chlorine Retention in Resin-Treated Cottons 88
Reply to Petterson Letter—L 841
MURAKAMI, Kenkichi (Sobue). Rheological Interpretation of the Mechanism of Crease Recovery of Fiber 251

NAAR, R. Z. (Pan, Proctor, Goldblith, Morgan). The Influence of High Energy Radiation on Cotton. *Part I:* The Properties of Raw Cotton Sliver Lap, Yarn, and Fabric Irradiated under Various Conditions 415
Part II: Effects on Chemical Modification 422
NEBEL, R. W. Advancing Frontiers of Nylon and Dacron Polyester Fibers 777
NEGISHI, Michiharu (Aida). Cross-Linking of Partially Cyanoethylated Cotton. *Part I:* Carbamoylethylation and Formaldehyde-Curing 982
NEGISHI, Michiharu (Itô, Aida). Cross-Linking of Partially Cyanoethylated Cotton. *Part II:* Formaldehyde-Curing after Amidoximation 990
NELSON, Mary L. (Andrews, Grant). Effects of Heat-Drying on the Physical and Chemical Properties of Cotton 260
NESTY, G. A. Nylon 6—Current Developments 763
NICKERSON, R. F. Correspondence Regarding "Moisture Regain of Tightly Woven Fabrics"—L 522
NISSAN, A. H. (Wroe). Some Observations on the Vibration and Whirling of Continuously Loaded Spindles 331
NIVEN, C. D. The Heat Transmission of Fabrics in Wind. *Part II* 826
NORWICK, Braham. Correspondence Regarding "Applications of Infrared Absorption Spectroscopy to Investigations of Cotton and Modified Cottons, *Part I*"—L 364
NUESSLE, A. C. (Heiges, Olney). Amine Odor in Resin-Treated Fabrics 41

O'CONNOR, Robert T. (DuPré, Mitcham). Reply to Norwick Letter—L 365
OLNEY, R. A. (Nuessle, Heiges). Amine Odor in Resin-Treated Fabrics 41
(Schlatter, Baer). Concerning the Mechanism of Fiber and Yarn Lubrication 200
ONOGI, Shigeharu (Hayashi). A Rheological Interpretation of the Hottenroth Index Method for Viscose 873
ORR, Rollin S. (Burgis, Andrews, Grant). Physical Properties of Mercerized and Decrystallized Cottons. *Part I:* Effects of Swelling Solutions on Fibers and Yarns 349
(Burgis, Creely, Mares, Grant). *Part II:* Effects of Strains during Swelling, Washing, and Drying 355
(DeLuca, Burgis, Grant). Fiber Structure and Mechanical Properties of Untreated and Modified Cottons 144

PAL, P. N. (Esteve). A Study of the Relationship between Dye Absorption and Cotton Fiber Properties at Equilibrium . . . 811
PALM, Ann (Helt, Moncrieff-Yeates, Stevens, White, Jr.). The Absorption of Dyes by Cellulose Acetate from Nonaqueous Media 6
PAN, C. H. (Bogdan, Woo). The Control of Comber Noils . . . 741
PAN, Huo-Ping (Proctor, Goldblith, Morgan, Naar). The Influence of High Energy Radiation on Cotton. *Part I:* The Properties of Raw Cotton Sliver Lap, Yarn, and Fabric Irradiated under Various Conditions 415
Part II: Effects on Chemical Modification 422
(Proctor, Goldblith). *Part III:* 2-Thiobarbituric Acid Test for Degradation 425
PERKERSON, Fred S. (Chance, McMillan). Phenolic-Formaldehyde Resins as Finishing Agents for Cotton Fabrics . . . 558
PETTERSON, Robert C. Correspondence Regarding Mosher Paper—L 840
PLATT, Louis. The Continuous Flow Cleaning Line 727
PLATT, Milton M. (Klein, Hamburger). Space Density of Fibers in Idealized Singles Yarn—L 592
(Klein, Hamburger). Mechanics of Elastic Performance of Textile Materials. *Part XIV:* Some Aspects of Bending Rigidity of Singles Yarns 611
POWE, W. C. The Nature of Tenaciously Bound Soil on Cotton . 879
PRESSLEY, T. A. (Crewther). Carbonizing Investigations. *Part VI:* A Comparison of Different Types of Surface Active Agents in Laboratory Carbonizing 482
PROCTOR, B. E. (Pan, Goldblith, Morgan, Naar). The Influence of High Energy Radiation on Cotton. *Part I:* The Properties of Raw Cotton Sliver Lap, Yarn, and Fabric Irradiated under Various Conditions 415
Part II: Effects on Chemical Modification 422
(Pan, Goldblith). The Influence of High Energy Radiation on Cotton. *Part III:* 2-Thiobarbituric Acid Test for Degradation 425

RADHAKRISHNAN, T. (Iyer, Viswanathan, Wakeham). The Relation between Crystallite Orientation and Tensile Properties of Mercerized Cotton 322
(Wakeham, Viswanathan). X-Ray Diffraction Patterns of Cotton At and Between Reversals—L 450

REDDICK, J. A. (Mayne, Berkley). Improved Instrument to Measure the Moisture Content of Lint Cotton, Seed Cotton, and Cottonseed . . . 219
REEVES, Wilson A. (Berard, Gautreaux). Formic Acid Colloid of Methylolmelamine as a Weather and Rot Resistant Finish for Cotton . . . 126
(Drake, Guthrie). Phosphonomethylation of Cotton . . . 270
REID, J. David (Frick, Kottes). Chemical and Physical Effects of Finishing Cotton With Methylol Derivatives of Ethyleneurea . . . 314
(Reinhardt, Fenner, Mayne). Partially Carboxymethylated Cotton as an Intermediate for Further Chemical Modification . . . 802
REINHARDT, Robert M. (Reid, Fenner, Mayne). Partially Carboxymethylated Cotton as an Intermediate for Further Chemical Modification . . . 802
RIGBY, B. J. Stress Relaxation and the Transition Temperature of Wool . . . 926
(Feughelman, Haly). A Second Order Transition Temperature in Wool Fibers in the Post-Yield Region . . . 311
RODDY, N. P. (Kingsbery). Method Used for Determining Warp Crimp—L . . . 521
ROSE, Grace R. F. (Howdon, Bayley). Observations on the Use of Copper Formate as a Rotproofer for Cotton Fabric . . . 996
ROTH, P. B. (Cooke). Performance Characteristics of a New Triazine-Formaldehyde Based Cross-Linking Agent for Cellulosic Fabrics . . . 180
RUPPENICKER, George, Jr. (Brown). Properties of Fabrics Produced from Three Extra Long Staple Cottons . . . 567
(Brown, Howell). Effects of Roller Ginning and Saw Ginning on Pima S-1 Cotton . . . 444
RUSH, H. R. An Application of a Sequential Type Analysis of Field Tests . . . 628
RUTHERFORD, Henry A. (Saffer, Cates). The Effect of Certain Variables in Warp Sizing on Weavability . . . 849
RUTKOWSKI, B. J. (Diamond, Wood, Grove). Influence of $Na_4P_2O_{10}$–$CaCl_2$–H_2O Equilibrium on Redeposition and Rinsability of Cotton Fabric . . . 863

SAFFER, Henry W. (Rutherford, Cates). The Effect of Certain Variables in Warp Sizing on Weavability . . . 849
SAITO, H. (Uno, Shiomi, Hiramatu). Photoelectric Twist Irregularity Tester . . . 550
SANDS, Jack E. (Fiori, Louis). Blending Cottons Differing Widely in Maturity. *Part I:* Effect on Properties of Single Yarns . . . 706
SATLOW, G. An Analysis of Stress–Strain Curves of Soda Treated Wool Fiber—L . . . 841
SCHIWALL, Raymond P. (Steele). Density Changes in Cellulose Treated with Urea-Formaldehyde Resins . . . 228
SCHLATTER, C. (Olney, Baer). Concerning the Mechanism of Fiber and Yarn Lubrication . . . 200
SCHWARTZ, Anthony M. (Minor, Wulkow, Buckles). The Migration of Liquids in Textile Assemblies. *Part II:* The Wicking of Liquids in Yarns . . . 931
Part III: The Behavior of Liquids on Single Textile Fibers . . . 940
SEGAL, L. (Creely, Martin, Conrad). An Empirical Method for Estimating the Degree of Crystallinity of Native Cellulose Using the X-Ray Diffractometer . . . 786
(Ziifle, Eggerton). Comparison of the Mechanical Properties of Cotton Yarns and Fabrics Treated with Anhydrous Ethylamine and with Mercerizing Caustic . . . 13
SHEARER, J. Lowen. Electric Network Analog Study of Viscous Flow Normal to Parallel, Evenly Spaced Cylinders . . . 467
SHILOH, Miriam (Lewin, Banbaji). The Crimp of Alkali Treated Jute Fibers . . . 373
SHIVERS, Joseph C. (Charch). Structure–Property Relationships in Synthetic Fibers. *Part II:* Elastomeric Condensation Block Copolymers . . . 536
SHIOMI, A. (Uno, Saito, Hiramatu). Photoelectric Twist Irregularity Tester . . . 550
SHIPPEE, F. B. (Gagliardi). Epoxy Resin Blended Finishes for White Cottons . . . 54
SKAU, E. L. (Honold). Moisture Regain of Tightly Woven Cotton Fabrics . . . 96
SMITH, D. K. High Strength Regenerated Cellulose Fibers . . . 32
SOBUE, Hiroshi (Murakami). Rheological Interpretation of the Mechanism of Crease Recovery of Fiber . . . 251
SPEAKMAN, J. B. (Whiteley). The Plasticity of Wool. *Part IV:* The Effect of Variations in Nutrition . . . 1010
SRINIVASSAN, V. R. (Whewell, Ashworth, Vassiliadis). The Action of Copper Ammines on Wool . . . 386
STEELE, Richard. Factors Affecting the Drying of Apparel Fabrics. *Part III:* Finishing Agents . . . 960
(Schiwall). Density Changes in Cellulose Treated with Urea-Formaldehyde Resins . . . 228
STEIN, Herman H. (Guarnaccio). Infrared Study of Oxidized Keratin . . . 492
STEVENS, Mildred (Heit, Moncrieff-Yeates, Palm, White, Jr.). The Absorption of Dyes by Cellulose Acetate from Nonaqueous Media . . . 6
SWAN, J. M. The Effect of Alkali on the Extractability of Wool Proteins; Evidence against Disulfide Exchange as an Explanation for the Reduction in Solubility . . . 665

TALLANT, John D. (Fiori, Legendre). The Effect of the Short Fibers in a Cotton on its Processing Efficiency and Product Quality. *Part I:* Affecting the Short Fiber Content by the Addition of Cut Cotton Fibers . . . 687
TESORO, Giuliana C. (Valko). Polyamine Resins for Finishing of Hydrophobic Fibers . . . 2
TOMIMATSU, Yoshio (Bartulovich, Ward). Acrylonitrile-Stabilized Wool Keratin Derivatives—L . . . 593
TSOI, Ruby H. (Grant, Andrews). Effects of Gin Drying and Cleaning Practices on Properties of Bleached and Resin Treated Fabrics . . . 751
TWEEDIE, Audrey S. (Mitton). The Relationship between Breaking Time and Breaking Load for a Worsted Fabric Tested on CRE and CRT Machines—L . . . 589
(Mitton, Fry). A Study of the Relationship between Breaking Time and Breaking Load for Fabrics Tested on CRE and CRT Machines . . . 235

UNO, M. (Saito, Shiomi, Hiramatu). Photoelectric Twist Irregularity Tester . . . 550

VALKO, Emery I. (Tesoro). Polyamine Resins for Finishing of Hydrophobic Fibers . . . 21
VASSILIADIS, A. G. P. (Whewell, Ashworth, Srinivassan). The Action of Copper Ammines on Wool . . . 386
VISWANATHAN, G. S. (Radhakrishnan, Iyer, Wakeham). The Relation between Crystallite Orientation and Tensile Properties of Mercerized Cotton . . . 322
(Wakeham, Radhakrishnan). X-Ray Diffraction Patterns of Cotton At and Between Reversals—L . . . 450
VON BERGEN, Werner. Moisture Regain of Specialty Hair and Fur Fibers . . . 586

WADE, Ricardo H. (Hamalainen, Cruz). Use of Trifluoroacetic Anhydride in Partial Acetylation of Cotton Cellulose . . . 821
WAKEHAM, H. (Radhakrishnan, Viswanathan). X-Ray Diffraction Patterns of Cotton At and Between Reversals—L . . . 450
(Radhakrishnan, Viswanathan, Iyer). The Relation between Crystallite Orientation and Tensile Properties of Mercerized Cotton . . . 322
WALTER, A. T. (Bryant). Stiffness and Resiliency of Wet and Dry Fibers as a Function of Temperature . . . 211
WARD, Roy L. (Dowlen). Characteristics and Rate of Wear of Worsted Serge in Trousers . . . 514
WARD, Wilfred H. (Tomimatsu, Ward). Acrylonitrile-Stabilized Wool Keratin Derivatives—L . . . 593
WATERS, W. T. (Lund). The Stability to Laundering of Fabrics Made from Cellulosic Fibers . . . 950
WATT, I. C. (Kennett, James). The Dry Weight of Wool . . . 975
WAYLAND, R. L., Jr. Triazones—Creaseproofing Agents for Cotton . . . 170
WEBRE, Beverly G. (McKelvey, Klein). Reaction of Epoxides with Cotton Cellulose in the Presence of Sodium Hydroxide . . . 918
WERDEN, Jane E. (Fahnestock, Galbraith). Thermal Comfort of Clothing of Varying Fiber Content . . . 640
WHEWELL, C. S. (Ashworth, Srinivassan, Vassiliadis). The Action of Copper Ammines on Wool . . . 386
WHITE, Howard J., Jr. (Heit, Moncrieff-Yeates, Palm, Stevens). The Absorption of Dyes by Cellulose Acetate from Nonaqueous Media . . . 6
WHITELEY, K. J. (Speakman). The Plasticity of Wool. *Part IV:* The Effect of Variations in Nutrition . . . 1010
WIEHART, Hans (Goldthwait, Kirby, Fretwell). Study of Improvement of Smoothness of Cotton Fabrics . . . 134
WILKINSON, P. R. (Hoffman). The Effects of Wear and Laundering on the Wrinkling of Fabrics . . . 652
WILSEY, Barbara (Morris). The Effect of Soil on the Photochemical Degradation of Cotton . . . 971
WINCH, Allen R. Theoretical Analysis of Rate of Liquid Absorption by Capillary Absorbing Media . . . 193
WOO, Henry K. C. (Bogdan, Pan). The Control of Comber Noils . . . 741
WOOD, D. C. (Diamond, Rutkowski, Grove). Influence of $Na_4P_2O_{10}$–$CaCl_2$–H_2O Equilibrium on Redeposition and Rinsability of Cotton Fabric . . . 863
WOOD, J. O. (Goy, Daruwalla). Thermal Effects in Tire Cord Materials . . . 669
WORKMAN, H. (Hessler). Heat Induced Chemical Changes in Cotton Fiber . . . 487
WRIGHT, Georgia Ellen (Esteve, Mack). An Investigation of Inorganic Salts and Oxides as Finishes for Cotton—L . . . 760
WROE, D. (Nissan). Some Observations on the Vibration and Whirling of Continuously Loaded Spindles . . . 331
WULKOW, E. A. (Minor, Schwartz, Buckles). The Migration of Liquids in Textile Assemblies. *Part II:* The Wicking of Liquids in Yarns . . . 931
Part III: The Behavior of Liquids on Single Textile Fibers . . . 940

YAMADA, Koichi (Kato). Effect of NaOH on BX Rayon Yarn—L . . . 368

ZAUKELIES, D. A. An Instrument for Study of Friction and Static Electrification of Yarns . . . 794
ZIIFLE, Hilda M. (Eggerton, Segal). Comparison of the Mechanical Properties of Cotton Yarns and Fabrics Treated with Anhydrous Ethylamine and with Mercerizing Caustic . . . 13

SUBJECT INDEX

ABRASION RESISTANCE of fabrics, its relationship to single fiber flex fatigue (*Lefferdink, Briar*) . . . 477
ABSORPTION
liquid, theoretical analysis of by capillary absorbing media (*Winch*) 193
ACETAL REACTANTS in cotton finishing, recent developments (*Irvine, Cronin, Davids*) . . . 74
ACETYLATION, PARTIAL of cotton; use of trifluoroacetic anhydride (*Hamalainen, Wade, Cruz*) . . . 821
ACRYLONITRILE
radiation polymerization of, onto cotton (*Arthur, Demint, McSherry, Jurgens*)—**L** . . . 759
ACRYLONITRILE—stabilized wool keratin derivatives (*Bartulovich, Ward*)—**L** . . . 593
ADSORPTION of arylamides of 2-hydroxy-3-naphthoic acid and related compounds by cellulosic fibers (*Daruwalla, Mehra*) . . 595
ALKALINE CATALYSTS; effect on reaction of cotton cellulose with epoxides (*McKelvey, Webre, Klein*) . . . 918
AMIDOXIMATION of partially cyanoethylated cotton; formaldehyde-curing after (*Aida, Negishi, Itô*) . . . 990
AMINE ODOR in resin-finished fabrics (*Nuessle, Heiges, Olney*) . . 41
ANALYSIS of within-section wool blends (*Coplan, Klein*) 632
ANALYTICAL PROCEDURES
isolation and identification of urocanic acid found in extracts of raw wool (*Binkley, Jones*) . . . 574
APO
crease resistance and crease retention, imparting to cotton with (*Drake, Guthrie*) . . . 155
ARYLAMIDES of 2-hydroxy-3-naphthoic acid and related compounds; adsorption of by cellulosic fibers (*Daruwalla, Mehra*) . 595

BALLOONING YARN APPARATUS, a simple (*Brunnschweiler, Mohammadain*) . . . 119
BLEACHING of cotton in home laundering (*Fink*) 165
BLENDING
cotton
differing widely in maturity; its effect on properties of single yarns (*Fiori, Louis, Sands*) . . . 706
effect of short fibers in a cotton on its processing efficiency and product quality—affecting the short fiber content by addition of cut cotton fibers (*Tallant, Fiori, Legendre*) 687
for mill production (*Howe, Mattison*) 722
large commercial scale (*Hembree*) 717

CARBAMOYLETHYLATION of partially cyanoethylated cotton (*Aida, Negishi*) . . . 982
CARBONIZING
comparison of different types of surface active agents in laboratory carbonizing (*Crewther, Pressley*) . . . 482
CARBOXYMETHYLATION
partially carboxymethylated cotton as an intermediate for further chemical modification (*Reinhardt, Reid, Fenner, Mayne*) . . . 802
CELLULOSE
jute, degradation of on storage (*Chatterjee, Masumdar*)—**L** . . . 282
native; an empirical method for estimating the degree of crystallinity using the x-ray diffractometer (*Segal, Creely, Martin, Conrad*) . . . 786
treated with urea-formaldehyde resins, density changes in (*Steele, Schiwall*) . . . 228
CELLULOSE ACETATE
absorption of dyes by, from nonaqueous media (*Heil, Moncrieff-Yeates, Palm, Stevens, White*) . . . 6
CELLULOSE, REGENERATED
high strength fibers (*Smith*) . . . 32
CELLULOSIC FIBERS
adsorption of arylamides of 2-hydroxy-3-naphthoic acid and related compounds by cellulosic fibers (*Daruwalla, Mehra*) . . 595
stability to laundering of fabrics made from (*Lund, Waters*) . . . 950
CHLORINE RETENTION in resin-treated cottons (*Mosher*) . . . 88
Correspondence regarding (*Pellerson*)—**L** . . . 840
Reply (*Mosher*)—**L** . . . 841
CLOTHING, thermal comfort of; effect of varying fiber content (*Werden, Fahnestock, Galbraith*) . . . 640
COMBER NOILS, control of (*Bogdan, Woo, Pan*) 741
CONTINUOUS FLOW CLEANING LINE (*Platt*) . . . 727
COPPER FORMATE as a rotproofer for cotton fabrics (*Bayley, Rose, Howdon*) . . . 996
COTTON
acetylation, partial
use of trifluoroacetic anhydride in (*Hamalainen, Wade, Cruz*) . . 821
applications of infrared spectroscopy in the investigation of, correspondence regarding (*Norwick*)—**L** . . . 364
Reply (*O'Connor, DuPré, Mitcham*)—**L** . . . 365
bleaching of in home laundering (*Fink*) 165
blending
affecting the short fiber content of cotton by the addition of cut fibers and their effect on processing efficiency and product quality (*Tallant, Fiori, Legendre*) . . . 687
for mill production (*Howe, Mattison*) 722
of cottons differing widely in maturity; its effect on properties of single yarns (*Fiori, Louis, Sands*) . . . 706
on a large commercial scale (*Hembree*) 717
carboxymethylated, partially
as an intermediate for further chemical modification (*Reinhardt, Reid, Fenner, Mayne*) . . . 802
creaseproofing
triazones as creaseproofing agents (*Wayland*) 170
crease resistance and retention, imparting to cotton with APO (*Drake, Guthrie*) . . . 155
cyanoethylated
mechanical properties of (*Conrad*) . . . 287
cyanoethylated, partially
cross-linking of; carbamoylethylation and formaldehyde-curing (*Aida, Negishi*) . . . 982
formaldehyde-curing after amidoximation (*Negishi, Aida, Itô*) . 990
finish for, weather and rot resistant formic acid colloid of methylolmelamine (*Berard, Gautreaux, Reeves*) . . . 126
finishing
chemical and physical effects of, with methylol derivatives of ethyleneurea (*Frick, Kottes, Reid*) . . . 314
inorganic salts and oxides as finishes (*Esteve, Wright, Mack*)—**L** 760
with acetal reactants, recent developments in (*Irvine, Cronin, Davids*) . . . 74
gamma irradiated, base exchange properties of (*Demint, Arthur*) 276
inorganic salts and oxides as finishes for (*Esteve, Wright, Mack*)—**L** . . . 760
mercerized
relation between crystallite orientation and tensile properties of (*Radhakrishnan, Iyer, Viswanathan, Wakeham*) . . . 322
strain, effects of during swelling, washing, and drying of mercerized and decrystallized fibers and yarns (*Orr, Burgis, Andrews, Grant*) . . . 355
swelling solutions, effects of on mercerized and decrystallized fibers and yarns (*Orr, Burgis, Andrews, Grant*) . . . 349
modified
applications of infrared absorption spectroscopy in the investigations of, correspondence regarding (*Norwick*)—**L** . . . 364
Reply (*O'Connor, DuPré, Mitcham*)—**L** . . . 365
mechanical properties and fiber structure of (*Orr, DeLuca, Burgis, Grant*) . . . 144
partially carboxymethylated cotton as an intermediate for further chemical modification (*Reinhardt, Reid, Fenner, Mayne*) . . . 802
preparation and properties of partially phosphonomethylated cotton (*Hobart, Drake, Guthrie*) . . . 884
radiation polymerization of acrylonitrile onto cotton (*Arthur, McSherry, Demint, Jurgens*)—**L** . . . 759
miniature spinning test for (*Landstreet, Ewald, Kerr*) 699
moisture content of
improved instrument to measure (*Reddick, Mayne, Berkley*) . . 219
nature of tenaciously bound soil on (*Powe*) 879
permanent set in and physical mechanism of wrinkle resistant treatments (*DuPré*) . . . 151
phosphonomethylated, partially
preparation and properties of (*Hobart, Drake, Guthrie*) 884
phosphonomethylation of (*Drake, Reeves, Guthrie*) 270
photochemical degradation of; the effect of soil (*Morris, Wilsey*) 971
physical and chemical properties of, effects of heat-drying on (*Nelson, Andrews, Grant*) . . . 260
processing
continuous flow cleaning line (*Platt*) . . . 727
control of comber noils (*Bogdan, Woo, Pan*) 741
design of the SRRL granular card (*Miller, Brown*) 733
effects of gin drying and cleaning practices on properties of bleached and resin treated fabrics (*Grant, Andrews, Tsoi*) . . . 751
interpretation of results from small-lot spinning tests (*Byatt, Barnes, Elling*)—**L** . . . 846
preliminary mill evaluation of the SRRL flatless card (*Callaway*) 737
radiation polymerization of acrylonitrile onto (*Arthur, Demint, McSherry, Jurgens*)—**L** . . . 759
resin-treated, chlorine retention in (*Mosher*) 88
Correspondence regarding (*Pellerson*)—**L** . . . 840
Reply (*Mosher*) . . . 841
short fibers in cotton; their effect on quality—affecting the short fiber content by adding cut cotton fibers (*Tallant, Fiori, Legendre*) . . . 687
spinnability of; method for determining the effects of various gin treatments on (*Burley*) . . . 696
untreated
mechanical properties and fiber structure of (*Orr, DeLuca, Burgis, Grant*) . . . 144
warp crimp, method for determining (*Kingsbery, Roddy*)—**L** . . 521
wrinkle resistant treatments, physical mechanism of, and permanent set (*DuPré*) . . . 151
COTTON CELLULOSE
reaction with epoxides; effect of alkaline catalysts (*McKelvey, Webre, Klein*) . . . 918
COTTON FABRIC
bleached and resin treated; effects of gin drying and cleaning practices on properties of (*Grant, Andrews, Tsoi*) . . . 751
copper formate as a rotproofer for (*Bayley, Rose, Howdon*) . . . 996
influence of $Na_4P_2O_{16}$–$CaCl_2$–H_2O equilibrium on redeposition and rinsability of (*Diamond, Wood, Rutkowski, Grove*) . . . 863
imparting wet crease resistance to by cross-linking with aqueous formaldehyde (*Guthrie*)—**L** . . . 834
improvement of smoothness of (*Goldthwait, Kirby, Fretwell, Wiehart*) . . . 134
phenolic-formaldehyde resins as finishing agents for (*Chance, Perkerson, McMillan*) . . . 558
properties of, produced from extra long staple cottons (*Ruppenicker, Brown*) . . . 567
tightly-woven, moisture regain of (*Skau, Honold*)—**L** 96
Correspondence regarding (*Nickerson*)—**L** . . . 522

treated with anhydrous ethylamine and with mercerizing caustic, comparison of mechanical properties (*Ziifle, Eggerton, Segal*) . 13
triazine-formaldehyde based cross-linking agent for (*Cooke, Roth*) 180
white, epoxy resin blended finishes for (*Gagliardi, Shippee*) 54
COTTON FIBER
development; a measure of (*Hessler*) 858
heat-induced chemical changes in (*Hessler, Workman*) . . . 487
properties at equilibrium and dye absorption; the relationship between (*Pal, Esteve*) 811
COTTONSEED
improved instrument to measure the moisture content of (*Reddick, Mayne, Berkley*) 219
COTTON YARNS
treated with anhydrous ethylamine and with mercerizing caustic, comparison of mechanical properties (*Ziifle, Eggerton, Segal*) . 13
CREASE RESISTANCE
and crease retention, imparting to cotton with APO (*Drake, Guthrie*) 155
imparting wet crease resistance to cc ; fabrics by cross-linking with aqueous formaldehyde (*Guthrie*)—**L** 834
CREASEPROOFING AGENTS
effect on lightfastness of sensitive dyes (*Goldstein, Koenig*) 66
for cotton—triazones (*Wayland*) 170
CREASE RECOVERY of fiber, mechanism of, rheological interpretation (*Sobue, Murakami*) 251
CRIMP, warp, method for determining (*Kingsbery, Roddy*)—**L** . . . 521
CRYSTALLITE ORIENTATION and tensile properties of mercerized cotton, relation between (*Radhakrishnan, Iyer, Viswanathan, Wakeham*) 322
CYANOETHYLATION
cyanoethylated cotton textiles, mechanical behavior of (*Conrad*) 287
partial
cross-linking of partially cyanoethylated cotton; carbamoylethylation and formaldehyde-curing (*Aida, Negishi*) 982
formaldehyde-curing after amidoximation of partially cyanoethylated cotton (*Aida, Negishi, Itô*) 990

DACRON and nylon fibers (*Nebel*) 777
DEGRADATION of jute cellulose on storage (*Chatterjee, Mazumdar*)—**L** 282
DEGREE OF CRYSTALLINITY of native cellulose; an empirical method for estimating by using the x-ray diffractometer (*Segal, Creely, Martin, Conrad*) 786
DENSITY changes in cellulose treated with urea-formaldehyde resins (*Steele, Schiwall*) 228
DETERGENCY
adsorption of labeled sodium carboxymethyl cellulose by textile fibers (*Hensley, Inks*) 505
influence of NaP_3O_{10}–$CaCl_2$–H_2O equilibrium on redeposition and rinsability of cotton fabric (*Diamond, Wood, Rutkowski, Grove*) 863
DETERGENTS, suspending action of in the presence of substrate (*Harris*) 99
DRYING
of apparel fabrics; effect of finishing agents (*Steele*) 960
of hygroscopic fibers by a forced convection of air; physical aspects (*Downes, McMahon*) 1006
DYE ABSORPTION and cotton fiber properties at equilibrium; the relationship between (*Pal, Esteve*) 811
DYES
absorption of by cellulose acetate from nonaqueous media (*Heit, Moncrieff-Yeates, Palm, Stevens, White*) 6
sensitive, the effect of creaseproofing agents on the lightfastness of (*Goldstein, Koenig*) 66

ELASTIC PROPERTIES
bending rigidity of singles yarns (*Platt, Klein, Hamburger*) . . . 611
ELASTOMERIC CONDENSATION block copolymers (*Charch, Shivers*) 536
ELECTRICAL PROPERTIES
resistance of keratin, effect of strain on (*Algie*) 1
ELECTRIC NETWORK ANALOG STUDY of viscous flow normal to parallel, evenly spaced cylinders (*Shearer*) 467
EPOXIDES
reaction with cotton cellulose; effect of alkaline catalysts (*McKelvey, Webre, Klein*) 918
EPOXY RESIN blended finishes for white cottons (*Gagliardi, Shippee*) 54
ETHYLAMINE, ANHYDROUS
effect on mechanical properties of cotton yarns and fabrics treated with (*Ziifle, Eggerton, Segal*) 13
ETHYLENEUREA
methylol derivatives of
chemical and physical effects of on cotton (*Frick, Kottes, Reid*) . 314

FABRICS
abrasion resistance of, its relationship to single fiber flex fatigue (*Lefferdink, Briar*) 477
effects of wear and laundering on the wrinkling of (*Wilkinson, Hoffman*) 652
heat transmission in wind (*Niven*) 826
new and improved replica technique for study of (*Berry*) . . . 912
of cellulosic fibers; stability to laundering of (*Lund, Waters*) . . 950
pleated
a technique for examining the configuration of fibers in (*Holdaway, Laws*) 495
relationship between breaking time and breaking load for fabrics tested on CRE and CRT testers (*Tweedie, Milton, Fry*) 235
worsted serge, characteristics of and rate of wear in trousers (*Dowlen, Ward*) 514
FIBER
flex fatigue; its role in abrasion resistance of fabrics (*Lefferdink, Briar*) 477
lubrication, the mechanism of (*Schlatter, Olney, Baer*) 200
mechanism of crease recovery of, rheological interpretation of (*Sobue, Murakami*) 251
FIBERS
adsorption of labeled sodium carboxymethyl cellulose by (*Hensley, Inks*) 505
behavior of liquids on single textile fibers (*Buckles, Minor, Walkow, Schwartz*) 940
hygroscopic; physical aspects of drying by forced convection of air (*Downes, McMahon*) 1006
in pleated fabrics, a method for examining the configuration of (*Holdaway, Laws*) 495
space density of in idealized singles yarn (*Platt, Klein, Hamburger*)—**L** 592
static friction on, the measurement of (*duBois*) 451
stiffness and resiliency of wet and dry fibers as a function of temperature (*Bryant, Walter*) 211
thermal comfort of clothing of varying fiber content (*Werden, Fahnestock, Galbraith*) 640
FIBER STRUCTURE and mechanical properties of untreated and modified cottons (*Orr, DeLuca, Burgis, Grant*) 144
FIELD TESTS
application of a sequential type analysis to (*Rush*) 628
FINISHES
imparting wet crease resistance to cotton fabrics by cross-linking with aqueous formaldehyde (*Guthrie*)—**L** 834
FINISHING
cotton
with acetal reactants, recent developments in (*Irvine, Cronin, Davids*) 74
chemical and physical effects of with methylol derivatives of ethyleneurea (*Frick, Kottes, Reid*) 314
cyanoethylated cotton textiles, mechanical behavior of (*Conrad*) 287
effect of creaseproofing agents on the lightfastness of sensitive dyes (*Goldstein, Koenig*) 66
formic acid colloid of methylolmelamine as a weather and rot resistant finish for cotton (*Berard, Gautreaux, Reeves*) . . . 126
imparting crease resistance and crease retention to cotton with APO (*Drake, Guthrie*) 155
triazine-formaldehyde based cross-linking agent for cellulosic fabrics (*Cooke, Roth*) 180
triazones as creaseproofing agents for cotton (*Wayland*) 170
wrinkle resistant treatments, physical mechanism of in cotton (*DuPré*) 151
FINISHING AGENTS
effects on the drying of apparel fabrics (*Steele*) 960
for cotton fabrics; phenolic-formaldehyde resins as (*Chance, Perkerson, McMillan*) 558
inorganic salts and oxides as finishes for cotton (*Esteve, Wright, Mack*)—**L** 760
FLEX FATIGUE in single fibers; its role in abrasion resistance of fabrics (*Lefferdink, Briar*) 477
FORMALDEHYDE, aqueous; imparting wet crease resistance to cotton fabrics by cross-linking with (*Guthrie*)—**L** 834
FORMALDEHYDE-CURING of partially cyanoethylated cotton (*Aida, Negishi*) 982
after amidoximation (*Aida, Negishi, Itô*) 990
FRICTION and static electrification of yarns; an instrument for study of (*Zaukelies*) 794
FRICTIONAL MEASUREMENTS on fibrous materials (*duBois*) . . 451
FUR FIBERS, moisture regain of (*von Bergen*) 586

GAMMA RADIATION
base exchange properties of gamma irradiated cotton (*Demint, Arthur*) 276
GIN DRYING AND CLEANING PRACTICES; their effects on properties of bleached and resin treated fabrics (*Grant, Andrews, Tsoi*) 751
GIN TREATMENTS; a method for determining their effects on the spinnability of cotton (*Burley*) 696

HAIR FIBERS, moisture regain of (*von Bergen*) 586
HEAT-DRYING of cotton, effect on physical and chemical properties (*Nelson, Andrews, Grant*) 260
HOTTENROTH INDEX METHOD for viscose; a rheological interpretation of (*Onogi, Hayashi*) 873
HYDROGEN → DEUTERIUM EXCHANGE REACTION
in stretched keratin (*Bendit, Feughelman, Fraser, MacRae*)—**L** . . 284
HYDROPHOBIC FIBERS, polyamine resins for finishing of (*Valko, Tesoro*) 21
2-HYDROXY-3-NAPHTHOIC ACID, arylamides of, and related compounds, adsorption of by cellulosic fibers (*Daruwalla, Mehra*) 595

INFRARED ABSORPTION SPECTROSCOPY, applications of in investigation of cotton and modified cotton, correspondence regarding (*Norwick*)—**L** 364
Reply (*O'Connor, DuPré, Mitcham*)—**L** 365
INFRARED STUDY of oxidized keratin (*Stein, Guarnaccio*) 492

JUTE
cellulose, the degradation of in storage (*Chatterjee, Mazumdar*)—**L** 282
hemicellulose, the occurrence of 4-*O*-methyl-D-glucuronic acid in (*Dutton, Rogers*)—**L** 285

KERATIN
effect of strain on electrical resistance of (*Algic*) . . . 1
fibers, a two-phase structure for (*Feughelman*) . . . 223
oxidized
infrared study of (*Stein, Guarnaccio*) . . . 492
stretched, the hydrogen → deuterium exchange reaction in (*Bendit, Feughelman, Fraser, MacRae*)—**L** . . . 284
(wool) derivatives, acrylonitrile-stabilized (*Bartulovich, Ward*)—**L** 593
KINETIC STUDY of the supercontraction of wool fibers in solutions of salts, acids, and alkalies (*Crewther, Dowling*) . . . 541

LAUNDERING
and wear, their effect on wrinkling of fabrics (*Wilkinson, Hoffman*) 652
influence of $Na_4P_2O_{10}$–$CaCl_2$–H_2O equilibrium on redeposition and rinsability of cotton fabric (*Diamond, Wood, Rutkowski, Grove*) . . . 863
stability of fabrics made from cellulosic fibers (*Lund, Waters*) . . . 950
LIGHTFASTNESS of sensitive dyes, the effect of creaseproofing agents on (*Goldstein, Koenig*) . . . 66
LINT COTTON; improved instrument to measure the moisture content of (*Reddick, Mayne, Berkley*) . . . 219
LIQUID BEHAVIOR on single textile fibers (*Buckles, Minor, Wulkow, Schwartz*) . . . 940
LIQUID MIGRATION
wicking of liquids in yarns (*Buckles, Minor, Schwartz, Wulkow*) . . . 931
LUBRICATION of fibers and yarn, the mechanism of (*Schlatter, Olney, Baer*) . . . 200

MATURITY of cottons; effect on single yarns of blending fibers differing widely in maturity (*Fiori, Louis, Sands*) . . . 706
MECHANICAL PROPERTIES
cotton yarns and fabrics
treated with anhydrous ethylamine and with mercerizing caustic (*Ziifle, Eggerton, Segal*) . . . 13
and fiber structure of untreated and modified cottons (*Orr, DeLuca, Burgis, Grant*) . . . 144
of single wool fibers in D_2O (*Feughelman, Haly, Mitchell*) . . . 564
MERCERIZATION
relation between crystallite orientation and tensile properties of mercerized cotton (*Radhakrishnan, Iyer, Viswanathan, Wakeham*) . . . 322
strains, effects of during swelling, washing, and drying of mercerized and decrystallized fibers and yarns (*Orr, Burgis, Andrews, Grant*) . . . 355
swelling solutions, effects of on mercerized and decrystallized fibers and yarns (*Orr, Burgis, Andrews, Grant*) . . . 349
twist, effect of in the mercerization of single yarn (*Chitale, Gokhale*)—**L** . . . 191
MERCERIZING CAUSTIC; effect on mechanical properties of cotton yarns and fabrics treated with (*Ziifle, Eggerton, Segal*) . . . 13
METHYLOLMELAMINE, formic acid colloid of, as a weather and rot resistant finish for cotton (*Berard, Gautreaux, Reeves*) . . . 126
MICROSCOPY
electron microscope observations on the helical structure in starch (*Heyn*)—**L** . . . 368
replica technique (new and improved) for study of fabrics and other surfaces (*Berry*) . . . 912
technique for examining the configuration of fibers in pleated fabrics (*Holdaway, Laws*) . . . 495
procion dye staining for skin-core differentiation of viscose rayon fibers (*Kato*) . . . 661
MOISTURE CONTROL (*See* **Drying**)
MOISTURE CONTENT, improved instrument to measure, in lint cotton, cottonseed, and seed cotton (*Reddick, Berkley, Mayne*) . . . 219
MOISTURE REGAIN
of specialty hair and fur fibers (*von Bergen*) . . . 586
of tightly woven cotton fabrics (*Skau, Honold*)—**L** . . . 96
Correspondence regarding (*Nickerson*)—**L** . . . 522

NYLON and Dacron polyester fibers (*Nebel*) . . . 777
NYLON 6—current developments (*Nesty*) . . . 763
4-*O*-METHYL-D-GLUCURONIC ACID; the occurrence of in jute hemicellulose (*Dutton, Rogers*) . . . 285

PHENOLIC-FORMALDEHYDE RESINS, as finishing agents for cotton fabrics (*Chance, Perkerson, McMillan*) . . . 558
PHOSPHONOMETHYLATION
of cotton (*Drake, Reeves, Guthrie*) . . . 270
preparation and properties of partially phosphonomethylated cotton (*Hobart, Drake, Guthrie*) . . . 884
PHOTOCHEMICAL DEGRADATION of cotton; effect of soil (*Morris, Wilsey*) . . . 971
PHOTOELECTRIC twist irregularity tester (*Uno, Saito, Shiomi, Hivamatu*) . . . 550
PILLING, the mechanism of (*Gintis, Mead*) . . . 578
Correction . . . 750
PLASTICITY of wool; effect of variation on nutrition (*Speakman, Whiteley*) . . . 1010
POLYAMINE RESINS for finishing of hydrophobic fibers (*Valko, Tesoro*) . . . 21
POLYOLEFIN FIBERS and polymer structure (*Erlich*) . . . 679
PROCION DYE STAINING for differentiation of skin and core of viscose rayon fibers (*Kato*) . . . 661
RADIATION POLYMERIZATION of acrylonitrile onto cotton (*Arthur, Demint, McSherry, Jurgens*)—**L** . . . 759
RAYON
BX yarn, effects of NaOH on (*Kato, Yamada*)—**L** . . . 368
high strength regenerated cellulose fibers (*Smith*) . . . 32
procion dye staining for skin-core differentiation of viscose rayon fibers (*Kato*) . . . 661
rheological interpretation of the Hottenroth Index Method for viscose (*Onogi, Hayashi*) . . . 873
viscose filaments, a stain for inclusion and surface detection (*Jolliff*) . . . 279
REPLICA TECHNIQUE (new and improved) for study of fabrics and other surfaces (*Berry*) . . . 912
RESILIENCY and stiffness of wet and dry fibers as a function of temperature (*Bryant, Walter*) . . . 211
RESINS
amine odor in resin-finished fabrics (*Nuessle, Heiges, Olney*) . . . 41
chlorine retention in resin-treated cottons (*Mosher*) . . . 88
Correspondence regarding (*Petterson*)—**L** . . . 840
Reply (*Mosher*)—**L** . . . 841
epoxy resin blended finishes for white cottons (*Gagliardi, Shippee*) . 54
formic acid colloid of methylolmelamine as a weather and rot resistant finish for cotton (*Berard, Gautreaux, Reeves*) . . . 126
phenolic-formaldehyde resins as finishing agents for cotton fabrics (*Chance, Perkerson, McMillan*) . . . 558
polyamine, for finishing of hydrophobic fibers (*Valko, Tesoro*) . . 21
triazine-formaldehyde based cross-linking agent for cotton fabrics (*Cooke, Roth*) . . . 180
triazones—creaseproofing agents for cottons (*Wayland*) . . . 170
urea-formaldehyde; density changes in cellulose treated with (*Steele, Schiwall*) . . . 228
RHEOLOGICAL INTERPRETATION
of the mechanism of crease recovery of fiber (*Sobue, Murakami*) . 251
of the Hottenroth Index Method for viscose (*Onogi, Hayashi*) . . 873
ROTPROOFING
copper formate as a rotproofer for cotton fabric (*Bayley, Rose, Howdon*) . . . 996

SEED COTTON; improved instrument to measure the moisture content of (*Reddick, Mayne, Berkley*) . . . 219
SINGLE FIBER FLEX FATIGUE and its relationship to abrasion resistance of fabrics (*Lefferdink, Briar*) . . . 477
SIZING, warp; effect of variables in on weavability (*Saffer, Cales, Rutherford*) . . . 849
SMOOTHNESS of cotton fabrics, improvement of (*Kirby, Goldthwait, Fretwell, Wichart*) . . . 134
SODIUM HYDROXIDE; effect of on BX rayon yarn (*Kato, Yamada*)—**L** . . . 368
SODIUM CARBOXYMETHYL CELLULOSE (LABELED)
adsorption of by textile fibers (*Hensley, Inks*) . . . 505
SOIL
effect on the photochemical degradation of cotton (*Morris, Wilsey*) 971
nature of tenaciously bound soil on cotton (*Powe*) . . . 879
SOILING AND DETERGENCY STUDIES
influence of $Na_4P_2O_{10}$–$CaCl_2$–H_2O equilibrium on redeposition and rinsability of cotton fabric (*Diamond, Wood, Rutkowski, Grove*) . . . 863
adsorption of labeled sodium carboxymethyl cellulose by textile fibers (*Hensley, Inks*) . . . 505
SOIL REMOVAL; suspending action by detergents in the presence of substrate (*Harris*) . . . 99
SPACE DENSITY of fibers in idealized singles yarn (*Platt, Klein, Hamburger*)—**L** . . . 592
SPECTROPHOTOMETRIC MEASUREMENT of color in wool fabrics (*Lennox*) . . . 906
SPINDLES, continuously loaded; observations on the vibration and whirling of (*Wroe, Nissan*) . . . 331
SPINNABILITY of cotton; a method for determining the effects of various gin treatments on (*Burley*) . . . 696
SPINNING
cotton; a miniature spinning test for (*Landstreet, Ewald, Kerr*) . . 699
interpretation of results from small-lot spinning tests (*Barnes, Elting, Byatt*)—**L** . . . 846
SRRL FLATLESS CARD, preliminary mill evaluation of (*Callaway*) 737
SRRL GRANULAR CARD, design of (*Miller, Brown*) . . . 733
STARCH; helical structure in, electron microscope observations on (*Heyn*)—**L** . . . 366
STATIC ELECTRICITY
polyamine resins for finishing of hydrophobic fibers (*Valko, Tesoro*) . . . 21
STATIC ELECTRIFICATION
and friction on yarns; an instrument for studying (*Zaukelies*) . 794
STATIC FRICTION
the measurement of on fibrous materials (*duBois*) . . . 451
STATISTICAL STUDIES
application of a sequential type analysis to field tests (*Rush*) . . . 628
interpretation of results from small-lot spinning tests (*Barnes, Elting, Byatt*)—**L** . . . 846
STIFFNESS and resiliency of wet and dry fibers as a function of temperature (*Bryant, Walter*) . . . 211
STRAIN; effect of on electrical resistance of keratin (*Algie*) . . . 1
STRENGTH TESTS
of fabrics
relationship between breaking time and breaking load for fabrics tested on CRE and CRT testers (*Tweedie, Mitton, Fry*) . . . 235
relationship between breaking time and breaking load for a worsted fabric tested on CRE and CRT machines (*Tweedie, Mitton*)—**L** . . . 589
STRESS
in wool fibers, the change on wetting and drying (*Feughelman*) . 967
of cords in inflated tires (*Lauterbach, Ames*) . . . 890
STRESS RELAXATION and the transition temperature of wool (*Rigby*) . . . 926
STRESS–STRAIN
curves of soda treated wool; an analysis of (*Sallow*)—**L** . . . 841
response of fabrics under two-dimensional loading; the FRL biaxial tester (*Klein*) . . . 816

SUPERCONTRACTION of wool fibers in solutions of acids, salts, ☛ and alkalies, a kinetic study of (*Crewther, Dowling*) 541
SURFACE ACTIVE AGENTS; comparison of different types of in laboratory carbonizing of wool (*Crewther, Pressley*) 482
SWELLING SOLUTIONS; effects of on mercerized and decrystallized fibers and yarns (*Orr, Burgis, Andrews, Grant*) 349
SYNTHETIC FIBERS (*See also* **DACRON, NYLON,** *etc.*)
polyolefin fibers and polymer structure (*Erlich*) 679
structure of, as revealed by sonic observations (*Church, Mosley*) 525
elastomeric condensation block copolymers (*Church, Shivers*) 536

TEMPERATURE EFFECTS
heat-induced chemical changes in cotton fiber (*Hessler, Workman*) 487
heat transmission of fabrics in wind (*Niven*) 826
second-order transition temperature in wool fiber in the post-yield region (*Feughelman, Haly, Rigby*) 311
stiffness and resiliency of wet and dry fibers as a function of temperature (*Bryant, Walter*) 211
TESTING EQUIPMENT
ballooning yarn apparatus, a simple (*Brunnschweiler, Mohammadain*) 119
CRE and CRT machines, the relationship between breaking time and breaking load for fabrics tested on (*Tweedie, Milton, Fry*) 235
worsted fabric (*Tweedie, Milton*)—**L** 589
FRL biaxial tester (*Klein*) 816
improved instrument to measure the moisture content of lint cotton, seed cotton, and cottonseed (*Reddick, Mayne, Berkley*) 219
photoelectric twist irregularity tester (*Uno, Saito, Shiomi, Hiramatu*) 550
TESTING PROCEDURES
application of a sequential type analysis to field tests (*Rush*) 628
interpretation of results from small-lot spinning tests (*Barnes, Elting, Byatt*)—**L** 846
methods of within-section wool blend analysis (*Coplan, Klein*) 632
minature spinning test for cotton (*Landstreet, Ewald, Kerr*) 699
THERMAL COMFORT of clothing of varying fiber content (*Werden, Fahnestock, Galbraith*) 640
THERMAL EFFECTS in tire cord materials (*Wood, Goy, Daruwalla*) 669
TIRE CORD
materials, thermal effects in (*Wood, Goy, Daruwalla*) 669
stresses in inflated tires (*Lauterbach, Ames*) 890
TRANSITION TEMPERATURE and stress relaxation of wool (*Rigby*) 926
TRIAZINE-FORMALDEHYDE based cross-linking agent for cellulosic fabrics (*Cooke, Roth*) 180
TRIAZONES; creaseproofing agents for cotton (*Wayland*) 170
TRIFLUOROACETIC ANHYDRIDE in partial acetylation of cotton cellulose (*Hamalainen, Wade, Cruz*) 821
TWIST; effect of in the mercerization of single yarn (*Chitale, Gokhale*)—**L** 191

ULTRAVIOLET SPECTROSCOPY
spectrophotometric measurement of color in wool fabrics (*Lennox*) 906
UREA-FORMALDEHYDE resins, density changes in cellulose treated with (*Steele, Schiwall*) 228
UROCANIC ACID found in extracts of raw wool, isolation and identification of (*Binkley, Jones*) 574

VISCOSE (*See* **RAYON**)
VISCOUS FLOW normal to parallel, evenly spaced cylinders, electric network analog study of (*Shearer*) 467

WARP SIZING; effect of certain variables in on weavability (*Saffer, Rutherford, Cates*) 849
WEAR and laundering, their effect on wrinkling of fabrics (*Wilkinson, Hoffman*) 652
WEATHER AND ROT RESISTANCE
formic acid colloid of methylolmelamine as a finish for cotton (*Berard, Guatreaux, Reeves*) 126
WEATHERING
copper formate as a rotproofer for cotton fabric (*Bayley, Rose, Howdon*) 996
WEAVABILITY; effect of certain variables in warp sizing on (*Saffer, Rutherford, Cates*) 849
WICKING of liquid in yarns (*Buckles, Minor, Schwartz, Wulkow*) 931
WOOL (*See also* **KERATIN**)
carbonizing treatments; comparison of different types of surface active agents in laboratory carbonizing (*Crewther, Pressley*) 482
crimp; the shape and cause of (*Dobosy*)—**L** 836
dry weight of (*James, Watt, Kennett*) 975
effects of sheep nutrition on the mechanical constants of (*Burgmann*) 1010
methods of within-section blend analysis (*Coplan, Klein*) 632
plasticity of; the effect of variation in nutrition (*Speakman, Whiteley*) 975
raw, isolation and identification of urocanic acid found in extracts of (*Binkley, Jones*) 574
reaction of with sodium hydroxide in concentrated salt solutions (*McPhee*) 303
stress relaxation and the transition temperature of (*Rigby*) 926
worsted; characteristics and rate of wear of worsted serge in trousers (*Dowlen, Ward*) 514
WOOL FABRIC
relationship between breaking time and breaking load for a worsted fabric tested on CRE and CRT machines (*Tweedie, Milton*)—**L** 589
spectrophotometric study of color in (*Lennox*) 906
WOOL FIBERS
change in stress on wetting and drying (*Feughelman*) 967
mechanical properties of, in D_2O (*Feughelman, Haly, Mitchell*) 564
second order transition temperature in the post-yield region (*Feughelman, Haly, Rigby*) 311
soda treated; an analysis of stress–strain curves of (*Satlow*)—**L** 841
supercontraction in solutions of salts, acids, and alkalies, a kinetic study (*Crewther, Dowling*) 541
WOOL KERATIN derivatives, acrylonitrile-stabilized (*Bariulovich, Ward*)—**L** 593
WOOL PROTEIN; effect of alkali on the extractability of; evidence against disulfide exchange as the explanation for the reduction in solubility (*Swan*)—**L** 665
WRINKLE RECOVERY (*See* **CREASEPROOFING**)
WRINKLE RESISTANCE
physical mechanism of wrinkle resistant treatments in cotton (*DuPré*) 151
WRINKLING
observations on distortions at a wrinkle (*Coplan, Golub*) 500
of fabrics, the effects of wear and laundering on (*Wilkinson, Hoffman*) 652

X-RAY DIFFRACTOMETER; an empirical method for estimating the degree of crystallinity of native cellulose by using (*Segal, Martin, Creely, Conrad*) 786

YARN
bending rigidity of singles yarns (*Platt, Klein, Hamburger*) 611
friction and static electrification of; an instrument for the study of (*Zaukelies*) 794
lubrication, the mechanism of (*Schlatter, Olney, Baer*) 200
space density of fibers in idealized singles yarn (*Platt, Klein, Hamburger*)—**L** 592
wicking of liquids in (*Buckles, Minor, Schwartz, Wulkow*) 931

BOOK REVIEWS

Automatic Control: Principles and Practice. W. G. Holzbock (1958) 286
Chemical Publications: Their Nature and Use, 3rd ed. M. G. Mellon (1958) 286
Chemie der Azofarbstoffe. H. Zollinger (1958) 847
Cotton, 3rd ed. Harry Bates Brown and Jacob Osborn Ware (1958) 846
Drycleaning Technology and Theory. Albert R. Martin and George P. Fulton (1958) 523
Elementary Statistical Physics. Charles Kittel (1958) 761
Engineer's Job Directory (1959) 848
Flow of Gases Through Porous Media. P. C. Carman (1956) 98
Handbook of Chemical Microscopy. Clyde W. Mason (1958) 761
Identification of Textile Materials. The Textile Institute (1958) 371
The Kinetics of Vinyl Polymerization by Radical Mechanisms. C. H. Bamford, W. G. Barb, A. D. Jenkins, and P. F. Onyon (1958) 846
Natural and Synthetic Fibers Handbook. Milton Harris and H. Mark, ed. (1958) 523
Perkin Centenary London (1958) 668
Physical Methods in Chemical Analysis. Walter G. Berl (1956) 668
Planning of Experiments. D. R. Cox (1958) 523
Preparation and Dyeing of Synthetic Fibers. H. N. Schmidlin (1958) 847
Saco-Lowell Handbook, Engineering and Technical Data, 5th ed. (1958) 846
Symbolic Logic and Intelligent Machines. Edmund C. Berkeley (1959) 848